

Certificate of Approval

Certificate Number: ENP 434

Issue: 6

Egetæpper a/s

Having complied with the requirements of:

Environmental Profile

BRE Global Scheme Document SD028

and

BRE Methodology for Environmental Profile of Construction Products SD6050

is authorised to use the BRE Global Certification Mark on the following product(s) and associated stationery and publications:

Head Office Address

Industrivej Nord 25
7400 Herning
Denmark

Production Sites

Industrivej Nord 25
7400 Herning
Denmark

This certificate and appendix is maintained and held in force through annual review and verification.

Signed for BRE Global Ltd.

Emma Baker
Scheme Manager

30 August 2018
Date of Issue

29 August 2021
Expiry Date



This certificate and appendix remain the property of BRE Global Ltd and is issued subject to terms and conditions (for details visit www.greenbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.greenbooklive.com/check, scan the QR Tag, or contact us.

BRE Global Ltd., Garston, Watford WD25 9XX.
T: +44 (0)333 321 8811 E: Enquiries@breglobal.com



Appendix to Certificate No: ENP 434

Issue: 6

Egetæpper a/s

Product list

Description	Appendix Ref. for details
Highline 1100 Ecotrust350, 3025 g/m ²	ENP 434 / u – x
Highline 630 Ecotrust350, 2575 g/m ²	ENP 434 / y – ab
Highline Loop Ecotrust350, 2650 g/m ²	ENP 434 / ac – af
Epoca Classic Ecotrust350, 2600 g/m ²	ENP 434 / ag – aj
Texture Care incl. Texture Care Classic, Texture Care Linear, Texture Care Plain, 3000 g/m ²	ENP 434 / ao – ar
Highline 1100 WT, 2550 g/m ²	ENP 434 / as – av
Highline 630 WT, 2050 g/m ²	ENP 434 / aw – az
Highline 750 WT, 2250 g/m ²	ENP 434 / q – t
Epoca Classic WT, 2350 g/m ²	ENP 434 / ba – bd
Ege Tuft 440 Ecotrust (Highline Carré Ecotrust, Barcode Ecotrust), up to 2425 g/m ²	ENP 434 / bi - bl
Ege Tuft 950 Ecotrust (ReForm Legend Ecotrust, ReForm Memory Ecotrust, ReForm Matrix Ecotrust), up to 3050 g/m ²	ENP 434 / bm - bp
Ege Tuft WT (ReForm Legend WT, ReForm Memory WT, ReForm Matrix WT), 2675 g/m ²	ENP 434 / bq - bt
Una Tinta Ecotrust, Una Crystalline Ecotrust, 3150 g/m ²	ENP 434 / bu - bx
Rawline Scala Ecotrust, 2350 g/m ²	ENP 434 / by - cb
Rawline Scala WT, 1950 g/m ²	ENP 434 / cd - cg
Una Crystalline WT, 2700 g/m ²	ENP 434 / ch - ck
Una Grano Ecotrust, 2675 g/m ²	ENP 434 / cl - co

This certificate and appendix is maintained and held in force through annual review and verification.

Signed for BRE Global Ltd.

Emma Baker
Scheme Manager

30 August 2018
Date of Issue

29 August 2021
Expiry Date



This certificate and appendix remain the property of BRE Global Ltd and is issued subject to terms and conditions (for details visit www.greenbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.greenbooklive.com/check, scan the QR Tag, or contact us.

BRE Global Ltd., Garston, Watford WD25 9XX.
T: +44 (0)333 321 8811 E: Enquiries@breglobal.com



Appendix to Certificate No: ENP 434

Issue: 6

Egetæpper a/s

Product list

Description	Appendix Ref. for details
Epoca Frame WT, 2300 g/m ²	ENP 434 / cp - cs
ReForm Foss WT, 2050 g/m ²	ENP 434 / ct - cw

This certificate and appendix is maintained and held in force through annual review and verification.



Signed for BRE Global Ltd.

Emma Baker
Scheme Manager

30 August 2018
Date of Issue

29 August 2021
Expiry Date



This certificate and appendix remain the property of BRE Global Ltd and is issued subject to terms and conditions (for details visit www.greenbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.greenbooklive.com/check, scan the QR Tag, or contact us.

BRE Global Ltd., Garston, Watford WD25 9XX.
T: +44 (0)333 321 8811 E: Enquiries@breglobal.com

