

Soft Dreams Lux any shape

Produktbeskrivelse



ege

THE URGE TO EXPLORE SPACE

Produktbeskrivelse	Metoder	Produktdata
Konstruktion		
Struktur	ISO 2424	Tuftet cut pile
Gauge	ISO 2424	5/32
Luvmateriale	DIR 96/73, 96/74	100% polyamid
Farvemethode	-	Continue farvet
Bagside	eTL	CF - Comfort felt
Dimensioner	ISO 3018	Approx. 400 cm
Totalhøjde	ISO 1765	Ca. 13,0 mm.
Slidlag	ISO 1766	Ca. 10,0 mm.
Noppeantal	ISO 1763	Ca. 48.000 pr.m2
Totalvægt	ISO 8543	Ca. 3.650 g/m2
Luvindsatsvægt	eTL	2.200 g/m2
Luvmasse	ISO 8543.	Ca. 1.760 g/m2
Luvdensitet	ISO 8543.	Ca. 0,175 g/cm3
Egnethedsprøvnninger		
Brugsområder	eTL	32 - Erhverv - Normal brug
Garanti	eTL	Garanti mod gennemslid 5 år
Antistatiske egenskaber	eTL	Permanent antistatisk
Gulvvarmeegnet	eTL	Ja
	ISO 8302	Ja
Sikkerhed & Miljø		
Brandklassifikation	EN 14041	Efl
CE Mærkning	EN 14041	Certificeret
	Ydeevnedeklaration	DOP E
	Notified body no.	NA
	Ce Year	17
	Content of PCP EN 12673	DL
	Formaldehyde emission	NA
	Skridsikkerhed EN 13893	Class DS
Vejledninger		
Montering, inkl. limguide	DK	Dansk
	N	Norsk
	S	Svensk
	GB	English
	D	Deutsch
	F	Francais
Rengøring, pletfjerning	DK	Dansk
	N	Norsk
	S	Svensk
	GB	English
	D	Deutsch
	F	Francais
Producent		
Fabrikscertificering	ISO 9001	Audited and verified by BVC

Produktbeskrivelse	Metoder	Produktdata
	ISO 14001	Audited and verified by BVC
	EMAS	Audited and verified by BVC
	DS/OHSAS	Audited and verified by BVC
	DS 49001	Audited and verified by BVC
	CRuk	Member of Carpet Recycling UK

ege

THE URGE TO EXPLORE SPACE